

1752



PATENT
0649-0789P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:	Yasuhiro YOSHIOKA	Conf.:	3458
Appl. No.:	09/899,261	Group:	1752
Filed:	July 6, 2001	Examiner:	Chea, Thorl
For:	PHOTOTHERMOGRAPHIC MATERIAL		

LARGE ENTITY TRANSMITTAL FORM

Assistant Commissioner for Patents
Washington, DC 20231

November 14, 2002

Sir:

Transmitted herewith is an amendment in the above-identified application.

- ☐ The enclosed document is being transmitted via the Certificate of Mailing provisions of 37 C.F.R. § 1.8.
- ☐ The enclosed document is being transmitted via facsimile.

The fee has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR		PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL	5	-	20	=	0	\$18	\$0.00
INDEPENDENT	1	-	3	=	0	\$84	\$0.00
<input type="checkbox"/> FIRST PRESENTATION OF A MULTIPLE DEPENDENT CLAIM						\$280	\$0.00
						TOTAL	\$0.00


Appl. No. 09/899,261


- ☐ Petition for () month(s) extension of time pursuant to 37 C.F.R. §§ 1.17 and 1.136(a). \$0.00 for the extension of time.
- ☒ No fee is required.
- ☐ Check(s) in the amount of \$0.00 is(are) enclosed.
- ☐ Please charge Deposit Account No. 02-2448 in the amount of \$0.00. This form is submitted in triplicate.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

By 
Marc S. Weiner, #32,181


MSW/GMD/gh
0649-0789P

P.O. Box 747
Falls Church, VA 22040-0747
(703) 205-8000

Attachment(s)

(Rev. 10/15/02)



RECEIVED

NOV 18 2002

TC 1700

PATENT
0649-0789P

IN THE U.S. PATENT AND TRADEMARK OFFICE

APPLICANT: Yasuhiro YOSHIOKA CONF NO: 3458
SERIAL NO: 09/899,261 GROUP: 1752
FILED: July 6, 2001 EXAMINER: Chea, Thorl
FOR: PHOTOTHERMOGRAPHIC MATERIAL

AMENDMENT UNDER 37 C.F.R. § 1.111

Assistant Commissioner for Patents
Washington, D.C. 20231

November 14, 2002

Sir:

In response to the Examiner's Office Action dated August 14, 2002, the following amendments and remarks are respectfully submitted in connection with the above-identified application.

IN THE SPECIFICATION:

Please amend the specification as follows:

Please replace the paragraph beginning on page 1, line 20 and ending on page 2, line 5 with the following rewritten paragraph:

-- In a general image-forming material field, there is the same requirement, but in particular, because the images for the medical treatment diagnosis are required to have minute depictions, images having excellent sharpness and graininess are necessary and it is preferred to have images in a blue black tone from the view point of ease of diagnosis. At present, various